

Candia, Town  
**Building Permit**

Building & Inspection Department  
74 High Street, Candia, NH 03034  
603-483-1015  
Inspections - Mon, Tues & Thurs afternoons

**Permit Number**  
2023-415CP  
**Date of Issue**  
10/11/2023  
**Expiration Date**  
10/10/2024

**Owner:** BELLIVEAU, TAMMY & DENNIS  
**Applicant:** BELLIVEAU, TAMMY & DENNIS  
**Location of Work:** 496 BROWN ROAD  
(No. and Street) (Unit or Building)

**Description of Work:** build car port on front of house

**ZONING DATA:** District: RES Map\Lot: 414-033

**CONSTRUCTION DATA:** Use Group: Min. Type Constr:  
Design Occupant Load: Total Number of Dwelling Units: 0 Construction Area:

**Building / Addition:** Change in FootPrint: NO Irregular Size, See Plan: NO  
Length: 0 FT. Width: 0 FT. Height: 0 FT. Number of Stories: 0.00


**REMARKS:**

- Building Permit Conditions
  - THE ISSUANCE OF THIS PERMIT DOES NOT RELEASE THE APPLICANT FROM THE CONDITIONS OF ANY APPLICABLE SUBDIVISION OR SITE PLAN RESTRICTIONS.
  - THIS CARD MUST BE POSTED UNTIL FINAL INSPECTION HAS BEEN MADE.
  - SANITARY FACILITIES MUST BE PROVIDED ON SITE FOR WORKERS.
  - NO PORTION OF THIS BUILDING SHALL BE OCCUPIED OR USED UNTIL FINAL INSPECTION HAS BEEN MADE AND A CERTIFICATE OF OCCUPANCY ISSUED.
  - SEPERATE PERMITS ARE REQUIRED FOR GAS, ELECTRICAL AND PLUMBING.
  - WORK MUST BE STARTED WITHIN 6 MONTHS AND COMPLETED WITHIN 12 MONTHS FROM THE DATE THE PERMIT IS ISSUED.
  - ANY WINDOW WITHIN 2 FT. OF AN EXTERIOR DOOR OR 5FT TUB/SHOWER REQ, SAFETY GLASS.
  - ANY WINDOW SILL LOCATED MORE THAN 72" ABOVE THE FINISHED GRADE OUTSIDE MUST BE MORE THAN 24" ABOVE THE FINISHED FLOOR INSIDE.
  - ANY WINDOW OR OUTSIDE DOOR OPENING SPAN GREATER THAN 3'-6" REQUIRES DOUBLE JACK STUDS.
  - NO WORK MAY BE COVERED OR CONCEALED UNTIL AN INSPECTION HAS BEEN PERFORMED AND PASSED.
  - SMOKE/CARBON MONOXIDE DETECTORS ARE REQUIRED PER ICC AND STATE REQUIREMENTS.
- ALL BASEMENTS AND EVERY SLEEPING ROOM SHALL HAVE AT LEAST ONE OPENABLE EMERGENCY ESCAPE AND RESCUE WINDOW OR EXTERIOR DOOR OPENING FOR EMERGENCY ESCAPE AND RESCUE PER SECTION R310.1 OF THE IRC 2015.

**Permit Holder:** BELLIVEAU, TAMMY & DENNIS  
(Taking Responsibility for the Work)  
**Company/Affiliation:** Owner **Job Site Phone Number:**

**Constr Cost:** \$0 **Permit Fee:** \$110.00 **Check No.:** 1107 **Cash:** \$0.00

**The Permit Card Shall be Posted and Visible From the Street During Construction**

  
**Code Official**

10-11-2023  
**Date**