

Candia, Town  
**BURNER PERMIT**

Building & Inspection Department  
74 High Street, Candia, NH 03034  
603-483-1015  
Inspections - Mon, Tues & Thurs afternoons

**Permit Number**

2023-432BU

**Date of Issue**

10/24/2023

**Expiration Date**

10/23/2024

**Owner:** PARKMAN, NANCY

**Applicant:**

**Location of Work:** 46 LANGFORD ROAD  
(No. and Street) (Unit or Building)

**Description of Work:** REPLACE GAS WALL HEATER

**ZONING DATA:** District: RES Map\Lot: 408-056

**CONSTRUCTION DATA:** Use Group: Min. Type Constr:

Design Occupant Load: Total Number of Dwelling Units: 0 Construction Area:

**Building / Addition:** Change in FootPrint: NO Irregular Size, See Plan: NO

Length: 0 FT. Width: 0 FT. Height: 0 FT. Number of Stories: 0.00

**CONTRACTOR:** Heritage Plumbing and Heating 603-668-4438

**REMARKS:**

REFER TO THE "CANDIA VOLUNTEER FIRE DEPARTMENT GAS FIRED APPLIANCE CHECKLIST" FOR INSTALLATION REQUIREMENTS.

INSPECTION OF LISTED AND LABLE APPLIANCE IS REQUIRED WHEN INSTALLATION IS COMPLETE AND OPERATIONAL.

ALL LP GAS INSTALLATIONS MUST BE IN COMPLIANCE WITH NFPA 58 & 54.


ANY NEW GAS PIPING REQUIRES INSPECTED 5 LB GAUGE PRESSURE TEST PRIOR TO ENERGIZING.

CALL BUILDING DEPARTMENT TO SCHDUAL INSPECTIONS.

**Permit Holder:** (Taking Responsibility for the Work)  
**Company/Affiliation:** **Job Site Phone Number:**

**Constr Cost:** \$0 **Permit Fee:** \$110.00 **Check No.:** 3812 **Cash:** \$0.00

**The Permit Card Shall be Posted and Visible From the Street During Construction**

  
**Code Official** **Date** 10-24-2023