

Candia, Town
MECHANICAL WORK PERMIT

Building & Inspection Department
74 High Street, Candia, NH 03034
603-483-1015
Inspections - Mon, Tues & Thurs afternoons

Permit Number
2023-433ME
Date of Issue
10/24/2023
Expiration Date
10/23/2024

Owner: MACK, DONALD C. & BARBARA B. CO-TRSTEES MACK FAMILY REVOCABLE TRUST

Applicant: A.J. LeBlanc

Location of Work: 85 WINSLOW LANE
(No. and Street) (Unit or Building)

Description of Work: REPLACE GAS HOT WATER HEATER.

ZONING DATA: District: RES Map/Lot: 413-125-64

CONSTRUCTION DATA: Use Group: Min. Type Constr:
Design Occupant Load: Total Number of Dwelling Units: 0 Construction Area:

Building / Addition: Change in FootPrint: NO Irregular Size, See Plan: NO
Length: 0 FT. Width: 0 FT. Height: 0 FT. Number of Stories: 0.00

CONTRACTOR: A.J. LeBlanc 603-623-2011

REMARKS:

REFER TO THE "CANDIA VOLUNTEER FIRE DEPARTMENT GAS FIRED APPLIANCE CHECKLIST" FOR INSTALLATION REQUIREMENTS.

INSPECTION OF LISTED AND LABLE APPLIANCE IS REQUIRED WHEN INSTALLATION IS COMPLETE AND OPERATIONAL.

ALL LP GAS INSTALLATIONS MUST BE IN COMPLIANCE WITH NFPA 58 & 54.

ANY NEW GAS PIPING REQUIRES INSPECTED 5 LB GAUGE PRESSURE TEST PRIOR TO ENERGIZING.

CALL BUILDING DEPARTMENT TO SCHDUAL INSPECTIONS.

Permit Holder: A.J. LeBlanc
(Taking Responsibility for the Work)
Company/Affiliation: Contractor **Job Site Phone Number:**

Constr Cost: \$0 **Permit Fee:** \$110.00 **Check No.:** 16615 **Cash:** \$0.00

The Permit Card Shall be Posted and Visible From the Street During Construction


Code Official 10-24-2023
Date