

Candia, Town
Building Permit

Building & Inspection Department
74 High Street, Candia, NH 03034
603-483-1015
Inspections - Mon, Tues & Thurs afternoons

Permit Number
2023-484DK
Date of Issue
12/11/2023
Expiration Date
12/10/2024

Owner: WOVKANECH, SAMUEL J.SR., ET AL WOVKANECH, STEPHEN & SAMUEL JR.

Applicant: DEFFRANCESCOS ROOF AND CANTRACT

Location of Work: 660 OLD CANDIA ROAD
(No. and Street) (Unit or Building)

Description of Work: BUILD A ROOF OVERHANG ON FRONT OF THE HOUSE. PERMIT \$110. START WORK WITH NO PERMIT FEE \$220.

ZONING DATA: District: RES Map\Lot: 413-053

CONSTRUCTION DATA: Use Group: Min. Type Constr:
Design Occupant Load: Total Number of Dwelling Units: 0 Construction Area:

Building / Addition: Change in FootPrint: NO Irregular Size, See Plan: NO
Length: 0 FT. Width: 0 FT. Height: 0 FT. Number of Stories: 0.00

REMARKS:

• **Building Permit Conditions**

- THE ISSUANCE OF THIS PERMIT DOES NOT RELEASE THE APPLICANT FROM THE CONDITIONS OF ANY APPLICABLE SUBDIVISION OR SITE PLAN RESTRICTIONS
- SANITARY FACILITIES MUST BE PROVIDED ON SITE FOR WORKERS.
- NO PORTION OF THIS BUILDING SHALL BE OCCUPIED OR USED UNTIL FINAL INSPECTION HAS BEEN MADE AND A CERTIFICATE OF OCCUPANCY ISSUED.
- SEPERATE PERMITS ARE REQUIRED FOR MECHANICAL, ELECTRICAL AND PLUMBING. (EACH COST INCLUDED IN TOTAL ONLY FOR NEW HOMES.)
- WORK MUST BE STARTED WITHIN 6 MONTHS AND COMPLETED WITHIN 12 MONTHS FROM THE DATE THE PERMIT IS ISSUED.
- ANY WINDOW WITHIN 2 FT. OF AN EXTERIOR DOOR OR 5FT FROM TUB OR SHOWER. MUST TO BE SAFETY GLASS.
- ANY WINDOW SILL LOCATED MORE THAN 72" ABOVE THE FINISHED GRADE OUTSIDE MUST BE MORE THAN 24" ABOVE THE FINISHED FLOOR INSIDE.
- ANY WINDOW OR OUTSIDE DOOR OPENING SPAN GREATER THAN 3'-6" REQUIRES DOUBLE JACK STUDS.
- NO WORK MAY BE COVERED OR CONCEALED UNTIL AN INSPECTION HAS BEEN PERFORMED AND PASSED.
- SMOKE/CARBON MONOXIDE DETECTORS ARE REQUIRED PER ICC AND STATE REQUIREMENTS.
- ALL BASEMENTS AND EVERY SLEEPING ROOM SHALL HAVE AT LEAST ONE OPENABLE EMERGENCY ESCAPE AND RESCUE WINDOW OR EXTERIOR DOOR OPENING FOR EMERGENCY ESCAPE AND RESCUE PER SECTION R310.1 OF THE IRC 2015.
- REQ. STATE APPROVED SEPTIC SYSTEM. DESINED FOR TOTAL BEDROOMS LISTED.

Permit Holder: DEFFRANCESCOS ROOF AND CANTRACT
(Taking Responsibility for the Work)
Company/Affiliation: Contractor **Job Site Phone Number:**

Constr Cost: \$0 **Permit Fee:** \$330.00 **Check No.:** 5036 **Cash:** \$0.00

The Permit Card Shall be Posted and Visible From the Street During Construction


Code Official 12-11-2023
Date