



Candia, Town
Building Permit
 Building & Inspection Department
 74 High Street, Candia, NH 03034
 603-483-1015
 Inspections - Mon, Tues & Thurs afternoons

Permit Number
 2024-061PS
Date of Issue
 3/04/2024
Expiration Date
 3/04/2025

Owner: PUZAS, RICHARD P & GAIL L TRUSTEES OF THE PUZAS FAMILY REV TRUST

Applicant: ROMA DAC LLC

Location of Work: 137 CHESTER ROAD
 (No. and Street) (Unit or Building)

Description of Work: replace gas fireplace with new one

ZONING DATA: District: RES Map/Lot: 414-067

CONSTRUCTION DATA: Use Group: Min. Type Constr:
 Design Occupant Load: Total Number of Dwelling Units: 0 Construction Area:

Building / Addition: Change in FootPrint: NO Irregular Size, See Plan: NO
 Length: 0 FT. Width: 0 FT. Height: 0 FT. Number of Stories: 0.00

REMARKS:

REFER TO THE "CANDIA VOLUNTEER FIRE DEPARTMENT GAS FIRED APPLIANCE CHECKLIST" FOR INSTALLATION REQUIREMENTS.
 INSPECTION OF LISTED AND LABEL APPLIANCE IS REQUIRED WHEN INSTALLATION IS COMPLETE AND OPERATIONAL.
 ALL LP GAS INSTALLATIONS MUST BE IN COMPLIANCE WITH NFPA 58 & 54.
 ANY NEW GAS PIPING REQUIRES INSPECTED 5 LB GAUGE PRESSURE TEST PRIOR TO ENERGIZING.
 CALL BUILDING DEPARTMENT TO SCHEDULE INSPECTIONS.

Permit Holder: ROMA DAC LLC
 (Taking Responsibility for the Work)
Company/Affiliation: Contractor **Job Site Phone Number:**

Constr Cost: \$0 **Permit Fee:** \$110.00 **Check No.:** 194 **Cash:** \$0.00

The Permit Card Shall be Posted and Visible From the Street During Construction

[Signature]
Code Official 03-04-2024,
Date