

Candia, Town

# SHED PERMIT

Building & Inspection Department  
74 High Street, Candia, NH 03034  
603-483-1015

Inspections - Mon, Tues & Thurs afternoons

Permit Number

2024-126SD

Date of Issue

5/08/2024

Expiration Date

5/08/2025

Owner: MARTINEAU KATHLEEN

Applicant: NEW ENGLAND OUTDOOR

Location of Work: 168 PATTEN HILL ROAD  
(No. and Street)

(Unit or Building)

Description of Work: BUILD A 10 X 12 SHED

**ZONING DATA:** District: RES

Map\Lot: 00409-228-3

**CONSTRUCTION DATA:** Use Group:

Min. Type Constr:

Design Occupant Load: Total Number of Dwelling Units: 0 Construction Area:

Building / Addition: Change in FootPrint: NO Irregular Size, See Plan: NO

Length: 0 FT. Width: 0 FT. Height: 0 FT. Number of Stories: 0.00

**REMARKS:**

**REQUIRED INSPECTIONS**

**Decks:**

- Dug holes for depth determination (frost depth is considered 48"). The closest property line should be clearly marked for setback determinations.
- Attachment to the building by lag bolts not less than 24" on center spacing.
- Guard rails not less than 36" high with no openings greater than 4". If deck is 30" off ground.
- Stairs with a maximum rise of 7 3/4" & a minimum tread depth of 10" & no openings greater than 4".
- A handrail is required on any flight of stairs with four or more risers.

**Sheds:**


- Generally a single inspection of the completed shed will be performed after the basic structure is up and complete. This will include supports and placement relative to setbacks. The property line closest should be clearly marked for setback determinations.

Permit Holder: NEW ENGLAND OUTDOOR  
(Taking Responsibility for the Work)

Company/Affiliation: Contractor Job Site Phone Number:

Constr Cost: \$0 Permit Fee: \$70.00 Check No.: 311 Cash: \$0.00

The Permit Card Shall be Posted and Visible From the Street During Construction

  
Code Official

05-08-2024  
Date