



TOWN OF CANDIA

GAS PIPING PERMIT

The Permit Card Shall be Posted and Visible From the Street During Construction

Permit Number: 2024-374 Date: 10/10/2024
Map: 000405 Lot: 000108 Sub Lot: 000000

Permit issued to: BARBERIAN, OLIVIA & MICHAUD, DEVIN
at: 363 HIGH ST


Owner Address: 363 HIGH STREET CANDIA, NH 03034 | Phone:
Applicant: PALMER GAS COMPANY LLC | Phone:
Contractor: PALMER GAS COMPANY LLC | Phone: | License #:
Permit Fee: \$110.00 | Estimated Cost: \$0

NOTE: INSTALL GAS LINE FROM 500 GAL UG TANK TO HOUSE

A PRESSURE TEST MUST BE PERFORMED AND WITNESSED BY THE BUILDING INSPECTOR PRIOR TO ENERGIZING THE GAS PIPING.

AN APPROVAL TAG WILL BE ATTACHED TO THE PIPING WHEN APPROVED FOR CONNECTION.

FOR CSST FLEXIBLE GAS PIPING AN ELECTRICAL BONDING WIRE OF MINIMUM #6 COPPER MUST BE PROVIDED AS SPECIFIED IN THE MANUFACTURERS INSTALLATION INSTRUCTIONS AND THE NATIONAL ELECTRIC CODE ARTICLE 250.104 (B)

Signed:  Telephone: (603) 483-1015
Building Inspector

NOTE: THIS PERMIT EXPIRES OCTOBER 10, 2025.